
Tuberculosis

- Reported Cases of Disease, 1994-2003
- Reported Cases by Age Group, 2003
- Reported Cases by Gender, 2003
- Reported Cases by County, 2003
- Rate of Disease by Race/Ethnicity, 1996-2003
- Reported Cases in US-born vs. Foreign-born Persons, 1994-2003

Reported Cases of Tuberculosis, Rhode Island, 1994-2003



Reported Cases of Tuberculosis by Age Group, Rhode Island, 2003						
Age Group	Number of Reported Cases	% of Cases	Rate* of Disease per 100,000 People			
0 - 4	<5					
5 – 14	<5					
15 – 24	5	10.9	3.4			
25 – 44	11	23.9	3.5			
45 – 64	11	23.9	4.8			
65 +	14	30.4	9.2			
Total	46	100	4.4			

*Denominator for computing rates for RI was based on the 2000 population estimates obtained from the U.S. Census Bureau.


Reported Cases of Tuberculosis By Gender, Rhode Island, 2003						
Gender	Number of Reported Cases	% of Cases	Rate* of Disease per 100,000 People			
Male	31	67.4	6.2			
Female	15	32.6	2.8			
Total	46	100	4.4			

^{*}Denominator for computing rates for RI was based on the 2000 population estimates obtained from the U.S. Census Bureau.

Reported Cases of Tuberculosis by County, Rhode Island, 2003						
County	Number of Reported Cases (%)	% of Cases	Rate* of Disease per 100,000 People			
Bristol	0	0	0			
Kent	<5					
Newport	<5					
Providence	43	93.5	6.9			
Washington	<5					
Total	46	100	4.4			


^{*}Denominator for computing rates for RI was based on the 2000 population estimates obtained from the U.S. Census Bureau.

Tuberculosis Rates* by Race/Ethnicity, Rhode Island, 1996-2003



^{*}Rates are based on the 2000 Rhode Island population as calculated by the US Census Bureau.

Reported Cases of Tuberculosis in US-Born vs. Foreign-Born Persons, Rhode Island, 1994-2003



Questions regarding these data can be directed to the Office of Communicable Diseases at (401) 222-2577.